



Exploring New Treatment Options to Improve Outcomes and Patient Satisfaction in the Management of

Uterine Fibroids and Endometriosis

Suggested Reading

- Agarwal SK, Chapron C, Giudice LC, et al. Clinical diagnosis of endometriosis: a call to action. *Am J Obstet Gynecol*. 2019;220:354.e1-354.e12. doi:10.1016/j.ajog.2018.12.039
- Al-Hendy A, Bradley L, Owens CD, et al. Predictors of response for elagolix with add-back therapy in women with heavy menstrual bleeding associated with uterine fibroids. *Am J Obstet Gynecol*. 2021;224:72.e1-72.e50. doi:10.1016/j.ajog.2020.07.032
- Al-Hendy A, Lukes AS, Poindexter AN 3rd, et al. Treatment of uterine fibroid symptoms with relugolix combination therapy. *N Engl J Med*. 2021;384:630-642. doi:10.1056/NEJMoa2008283
- Bradley LD, Pasic RP, Miller LE. Clinical performance of radiofrequency ablation for treatment of uterine fibroids: systematic review and meta-analysis of prospective studies. *J Laparoendosc Adv Surg Tech A*. 2019;29:1507-1517. doi:10.1089/lap.2019.0550
- Burney RO, Giudice LC. Pathogenesis and pathophysiology of endometriosis. *Fertil Steril*. 2012;98:511-519. doi:10.1016/j.fertnstert.2012.06.029
- Carter JE. Combined hysteroscopic and laparoscopic findings in patients with chronic pelvic pain. *J Am Assoc Gynecol Laparosc*. 1994;2:43-47. doi:10.1016/s1074-3804(05)80830-8
- Donnez J, Taylor HS, Stewart EA, et al. Linzagolix with and without hormonal add-back therapy for the treatment of symptomatic uterine fibroids: two randomised, placebo-controlled, phase 3 trials. *Lancet*. 2022;400:896-907. doi:10.1016/S0140-6736(22)01475-1
- Donnez J, Taylor HS, Taylor RN, et al. Treatment of endometriosis-associated pain with linzagolix, an oral gonadotropin-releasing hormone-antagonist: a randomized clinical trial. *Fertil Steril*. 2020;114:44-55. doi:10.1016/j.fertnstert.2020.02.114
- Giudice LC, As-Sanie S, Arjona Ferreira JC, et al. Once daily oral relugolix combination therapy versus placebo in patients with endometriosis-associated pain: two replicate phase 3, randomised, double-blind, studies (SPIRIT 1 and 2). *Lancet*. 2022;399:2267-2279. doi:10.1016/S0140-6736(22)00622-5
- Giudice LC, Kao LC. Endometriosis. *Lancet*. 2004;364:1789-1799. doi:10.1016/S0140-6736(04)17403-5

- Greene R, Stratton P, Cleary SD, et al. Diagnostic experience among 4,334 women reporting surgically diagnosed endometriosis. *Fertil Steril*. 2009;91:32-39. doi:10.1016/j.fertnstert.2007.11.020
- Guerriero S, Saba L, Pascual MA, et al. Transvaginal ultrasound vs magnetic resonance imaging for diagnosing deep infiltrating endometriosis: systematic review and meta-analysis. *Ultrasound Obstet Gynecol*. 2018;51:586-595. doi:10.1002/uog.18961
- Gupta JK, Sinha A, Lumsden MA, Hickey M. Uterine artery embolization for symptomatic uterine fibroids. *Cochrane Database Syst Rev*. 2014;(12):CD005073. doi:10.1002/14651858.CD005073.pub4
- Huirne JA, Lambalk CB. Gonadotropin-releasing-hormone-receptor antagonists. *Lancet*. 2001;358:1793-1803. doi:10.1016/S0140-6736(01)06797-6
- Khan AT, Shehmar M, Gupta JK. Uterine fibroids: current perspectives. *Int J Womens Health*. 2014;6:95-114. doi:10.2147/IJWH.S51083
- Kho RM, Desai VB, Schwartz PE, et al. Endometrial sampling for preoperative diagnosis of uterine leiomyosarcoma. *J Minim Invasive Gynecol*. 2022;29:119-127. doi:10.1016/j.jmig.2021.07.004
- Laughlin SK, Stewart EA. Uterine leiomyomas: individualizing the approach to a heterogeneous condition. *Obstet Gynecol*. 2011;117(2 Pt 1):396-403. doi:10.1097/AOG.0b013e31820780e3
- Laughlin-Tommaso SK, Khan Z, Weaver AL, et al. Cardiovascular and metabolic morbidity after hysterectomy with ovarian conservation: a cohort study. *Menopause*. 2018;25:483-492. doi:10.1097/GME.0000000000001043
- Munro MG, Critchley HOD, Fraser IS, FIGO Menstrual Disorders Committee. The two FIGO systems for normal and abnormal uterine bleeding symptoms and classification of causes of abnormal uterine bleeding in the reproductive years: 2018 revisions. *Int J Gynaecol Obstet*. 2018;143:393-408. doi:10.1002/ijgo.12666
- Nisolle M, Donnez J. Peritoneal endometriosis, ovarian endometriosis, and adenomyotic nodules of the rectovaginal septum are three different entities. *Fertil Steril*. 1997;68:585-596. doi:10.1016/s0015-0282(97)00191-x
- Nnoaham KE, Hummelshoj L, Webster P, et al. Impact of endometriosis on quality of life and work productivity: a multicenter study across ten countries. *Fertil Steril*. 2011;96:366-373.e8. doi:10.1016/j.fertnstert.2011.05.090
- Practice Committee of the American Society for Reproductive Medicine. Treatment of pelvic pain associated with endometriosis: a committee opinion. *Fertil Steril*. 2014;101:927-935. doi:10.1016/j.fertnstert.2014.02.012
- Schlaff WD, Ackerman RT, Al-Hendy A, et al. Elagolix for heavy menstrual bleeding in women with uterine fibroids. *N Engl J Med*. 2020;382:328-340. doi:10.1056/NEJMoa1904351
- Sims OT, Gupta J, Missmer SA, Aninye IO. Stigma and endometriosis: a brief overview and recommendations to improve psychosocial well-being and diagnostic delay. *Int J Environ Res Public Health*. 2021;18:8210. doi:10.3390/ijerph18158210

Simon JA, Al-Hendy A, Archer DF, et al. Elagolix treatment for up to 12 months in women with heavy menstrual bleeding and uterine leiomyomas. *Obstet Gynecol.* 2020;135:1313-1326.
doi:10.1097/AOG.0000000000003869

Stewart EA. Clinical practice. Uterine fibroids. *N Engl J Med.* 2015;372:1646-1655.
doi:10.1056/NEJMcp1411029